INKESKIN GLOBAL - PRODUCT TEST REPORT

Global B2B Sourcing & Transit Logistics

Company: Inkeskin Global
Contact: +90 5323901120
Email: info@inkeskin.com
Address: Kartaltepe Mah. Belediye Cad. no3/38
Kucukcekmece, Istanbul

PRODUCT: NAPHTHA/BU
Report Number: 2026-Internal-066/CQ
Sample Date: 05.08.2026
Received Date: 05.08.2026
Test Date Reported: 06.08.2026

Tests	Method (Unit)	Results
Density @ 15 C	ASTM D7042 (Kg/L)	0.7194
RON	Zeilex	79.3
MON	Zeilex	72.5
Sulfur	ASTM D4294 (mg/kg)	882
RVP at 37.8 C	ASTM D4953 (Psi (KPa))	7.2 (511)
H2S	ASTM D7621-16(2021) (mg/Kg)	24.1
Distillation, IBP	ASTM D86 (C)	38.2
5 pct recovered	ASTM D86 (C)	51.2
10 pct recovered	ASTM D86 (C)	59.5
20 pct recovered	ASTM D86 (C)	71.3
30 pct recovered	ASTM D86 (C)	83.3
40 pct recovered	ASTM D86 (C)	97.0
50 pct recovered	ASTM D86 (C)	108.9
60 pct recovered	ASTM D86 (C)	120.7
70 pct recovered	ASTM D86 (C)	132.7
80 pct recovered	ASTM D86 (C)	144.4
90 pct recovered	ASTM D86 (C)	157.9
95 pct recovered	ASTM D86 (C)	165.7
FBP	ASTM D86 (C)	174.9
Final recovered	ASTM D86 (vol pct)	96.9